**Web**Results 1 - 60 of about 67 for user "log likelihood" estimation adder. (0.42 seconds)Refereed Publications of John A. GubnerAbstract: The **estimation** of the intensity function of an inhomogeneous Poisson... In the case of the noiseless mod-2 **adder** AVC using state constraint ...homepages.cae.wisc.edu/~gubner/papers.shtml - 27k - [Cached](#) - [Similar pages](#)[PDF] Efficient VLSI Architectures for Multiuser Channel **Estimation** in ...File Format: PDF/Adobe Acrobat - [View as HTML](#)The estimateY, that maximizes the **log likelihood**, sat- ... zation of multiuser channel **estimation** on a single user matched filter ...cmc.rice.edu/docs/docs/Raj2001Jul1EfficientV.pdf - [Similar pages](#)[PDF] D - DSP : AM , ASWAFile Format: PDF/Adobe Acrobat - [View as HTML](#)that maximizes the **log likelihood**, satisfies the following equation: ... **estimation**.

User K, Antenna 1. User K, Antenna T. User K ...

cmc.rice.edu/docs/docs/Raj2004Mar3Dataparall.pdf - [Similar pages](#)Winterschool 2005The capacity region of the binary **adder** channel (BAC) with feedback has been ...Iterative multi-user detection and time-variant channel **estimation** in a ...userver.ftw.at/winterschool/student.html - 32k - [Cached](#) - [Similar pages](#)[PDF] S. Denno: Recursive Vector Algorithm for Multibeam Interference ...

File Format: PDF/Adobe Acrobat

defined as the **log likelihood** of the probability density. function ... **estimation**.

This means the total performance strongly rely ...

www.docomoeurolabs.de/pdf/publications/WSL-viterbi\_vtc\_spring\_03.pdf - [Similar pages](#)L-index... **log likelihood** ratio chi-square test "Computational Method" STAT; ... logos,

user-defined "Associating Your Own Logo and Icons with Your SAS/AF ...

gsbwww.uchicago.edu/computing/ research/SASManual/mindex/l-index.htm - 359k - [Cached](#) - [Similar pages](#)I-index

... CMS: converting earlier versions "Converting User-Written Informats from Earlier

... inverse Gaussian **log-likelihood** function: generalized linear models ...gsbwww.uchicago.edu/computing/ research/SASManual/mindex/i-index.htm - 323k - [Cached](#) - [Similar pages](#)[PDF] Transactions Briefs

File Format: PDF/Adobe Acrobat

is then followed by a maximum-likelihood **estimation** procedure that pro- ...increases the expected value of the **log-likelihood** (6) then the log-like- ...ieeexplore.ieee.org/iel5/ 92/29699/01350797.pdf?arnumber=1350797 - [Similar pages](#)[PDF] Recursive vector viterbi algorithm for multibeam interference ...

File Format: PDF/Adobe Acrobat

**User** Detection) separates user's signals which are superposed. at the top of ...be applied to the **estimation** of the transition sequence from ...ieeexplore.ieee.org/iel5/ 8574/27150/01207152.pdf?arnumber=1207152 - [Similar pages](#)[ [More results from ieeexplore.ieee.org](#) ]EP1287635








[Yahoo!](#) [My Yahoo!](#) [Mail](#) [Welcome, drjatorres](#) ([Sign Out](#), [My Account](#))

[Search Home](#) [Help](#)
**YAHOO! SEARCH**
[Web](#) [Images](#) [Video](#) [Directory](#) [Local](#) [News](#) [Products](#)

user "log likelihood" estimation adder

Search

[My Web BETA](#)
[Shortcuts](#) [Advanced Search](#) [Preferences](#)
**Search Results**Results **1 - 9** of about **9** for **user "log likelihood" estimation adder** - 0.65 sec. ([About this page](#))

1. [Refereed Publications of John A. Gubner](#)   
... asymptotic distribution of the **log-likelihood** function for point processes ... Abstract: The **estimation** of the interhomepages.cae.wisc.edu/~gubner/papers.shtml - [More from this site](#) - [Save](#) - [Block](#)
2. [Bandwidth Market, Ltd](#)   
... necessary, and communicated to a **user**. This digital transmission ... Maximum likelihood sequence **estimation** bandwidthmarket.biz/resources/patents/data47/5384560.html - 85k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)
3. <http://www.math.utah.edu:8080/pub/tex/bib/lncs1997b.twx>   
%%= %% WARNING: Do NOT edit this file.  
www.math.utah.edu:8080/pub/tex/bib/lncs1997b.twx - [More from this site](#) - [Save](#) - [Block](#)
4. <http://www.cse.ucsc.edu/research/reports/bibs.refer>   
Two-cuts are defined for binary decision diagrams, and the relationship is exhibited between general if-then-else (have been required to ... In order to reduce **user** effort, research in computer animation ... of the carry-skip **adder** www.cse.ucsc.edu/research/reports/bibs.refer - 496k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)
5. [Citations: VLSI architectures for turbo codes - Masera, Piccinini, Roch, Zamboni \(ResearchIndex\)](#)  
... c;l) is an **estimation** of probability distribution of ... 4096 **user** bits. The number of bits used to represent the logciteseer.ist.psu.edu/context/1746509/582382 - [More from this site](#) - [Save](#) - [Block](#)
6. <http://www.ece.uiuc.edu/pubs/styledb/dbtable1.html>   
Term or issue. Abbreviation/symbol. Notes. 8-14 modulation. EFM. abbreviations. Abbreviations for a single word const for constant. ... analysis-of-neighborhood-based wire length **estimation**. ANWLE ... CAP. carry-lookahead a www.ece.uiuc.edu/pubs/styledb/dbtable1.html - [More from this site](#) - [Save](#) - [Block](#)
7. [posted](#)   
General treatment of the problem of coding Shannon, C.  
www.eecs.berkeley.edu/~asarwate/Public/ITTrans.txt - [More from this site](#) - [Save](#) - [Block](#)
8. [Software Patents \(and other Patents\) Involving Crystallography \(Mainly trying to find relevant S](#)  
... concerning structural validity to the **user**. The display of ... substantially continuously while the **user** modifies th www.ccp14.ac.uk/mathsoftware-patents/crystallography\_patents.html - 292k - [Cached](#) - [More from this site](#) - [Sa](#)
9. [Veroeffentlichungen/Publications](#)  - [Translate this page](#)  
... Hagenauer, J.: **Log-likelihood** ratios, mutual information and EXIT ... codes for softbit source decoding: **Estim** www.int.e-technik.tu-muenchen.de/veroeffentlichungen - [More from this site](#) - [Save](#) - [Block](#)

[Web](#) [Images](#) [Video](#) [Directory](#) [Local](#) [News](#) [Products](#)

Your Search: user "log likelihood" estimation adder

Search



**Basic Search**

[Advanced Search](#) [Search Preferences](#)

user AND "log likelihood" AND estimation AND adder

Search

☒ All journal sources ☒ All Web sources ☐ Exact phrase

Searched for:: All of the words: **user** AND **"log likelihood"** AND **estimation** AND **adder**

Found:: :8 total | 0 journal results | 8 Web results

Sort by:: :relevance | date

Save checked results

Email checked results




1. COHERENT DEMODULATION WITH DECISION-DIRECTED CHANNEL ESTIMATION FOR DIGITAL COMMUNICATION  
**SCHRAMM, Peter / HUBER, Johannes / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION**, Mar 1998  
...processor 20-2, and an **adder** 20- 3 would be provided...for a subsequent data **estimation** procedure (i.e., decision...The derivation of the **log-likelihood** ratio A&lsqb;v&rsqb;...such characteristic **log-likelihood** ratio curves. It will...  
**Full text available at patent office. For more in-depth searching go to** LexisNexis  
[similar results](#)
2. SYSTEM AND METHOD FOR THE DEMODULATION OF TURBO-ENCODED SIGNALS VIA PILOT ASSISTED COHERENT DEMODULATION  
**LING, Fuyun / SINDHUSHAYANA, Nagabhushana, T. / ESTEVES, Eduardo, A., S. / QUALCOMM INCORPORATED, PATENT COOPERATION TREATY APPLICATION**, Nov 2000  
...decoders use the **log-likelihood** ratio (LLR) for...corresponding **log-likelihood** values from all...interference **estimation** circuit estimates...signal. A noise **estimation** circuit provides...applied to the **log-likelihood** ratio via the...  
**Full text available at patent office. For more in-depth searching go to** LexisNexis  
[similar results](#)
3. COHERENT DEMODULATION AND SEQUENCE ESTIMATION FOR DIFFERENTIAL PSK SIGNALS  
**ARSLAN, H&uuml; / seyin / BOTTOMLEY, Gregory, E. / RAM&Eacute; / SH, Rajaram / ERICSSON, INC., PATENT COOPERATION TREATY APPLICATION**, Mar 2000  
...difference of **log likelihoods** of the bit value...invention, channel **estimation** refers to estimating...estimate are used in **likelihood** information generator...**likelihood** or **log-likelihood** functions...by taking the **log-likelihood** ratio of the probability...  
**Full text available at patent office. For more in-depth searching go to** LexisNexis  
[similar results](#)
4. Implementation and Performance of an Improved Turbo Decoder on a Configurable Computing Machine  
**Puckett, W. Bruce**, Jul 2000  
...45 4.3.3 **Adder** Module...51 4.5.2 **Log-MAP** Algorithm...structure and enhanced **Log-MAP** algorithm...machine for the SLAAC1V **adder** module...machine for the Wildforce **adder** module...  
**Full text thesis available via NDLTD**  
[similar results](#)

Refine you  
using the  
found in t  
[decoding](#)

Or refine i

All of the

[refine](#)

5. Implementation and performance of an improved turbo decoder on a configurable computing machine  
**Puckett, W. Bruce.**, Jan 2000  
...45 4.3.3 **Adder** Module...51 4.5.2 **Log**-MAP Algorithm...structure and enhanced **Log**-MAP algorithm...machine for the SLAAC1V **adder** module...machine for the Wildforce **adder** module...  
**Full text thesis available via NDLTD**  
[similar results](#)
6. METHOD AND SYSTEM FOR THE TRANSMISSION, RECEPTION AND PROCESSING OF 4-LEVEL AND 8-LEVEL SIGNALING SYMBOLS  
**DENT, Paul, W. / RAMESH, Rajaram / ERICSSON INC.**, *PATENT COOPERATION TREATY APPLICATION*, Jul 2000  
A method and system for the transmission, reception, and processing of 4-level and 8-level signaling symbols is provided. An inventive modulator is provided for modulating 4-level signaling symbols using an 8-level modulator. Further, this inventive...  
**Full text available at patent office. For more in-depth searching go to**  LexisNexis  
[similar results](#)
7. DATA TRANSMISSION METHOD, TRANSMITTER, AND RECEIVER  
**HOTTINEN, Ari / LAAKSO, Timo / OJANPER&Auml / , Tero / NOKIA MOBILE PHONES LTD.**, *PATENT COOPERATION TREATY APPLICATION*, Aug 1996  
...same frequency band, and in which each **user** has at least one broad-band information...information channel capacity of at least one **user** differs from the capacity of the other...method, the narrow-band data signal of the **user** is multiplied to a relatively wide band...  
**Full text available at patent office. For more in-depth searching go to**  LexisNexis  
[similar results](#)
8. ADAPTIVE SPREAD SPECTRUM RECEIVER  
**FUKAWA, Kazuhiko / SUZUKI, Hiroshi / NTT MOBILE COMMUNICATIONS NETWORK INC.**, *EUROPEAN PATENT*, Mar 1996  
...Therefore, even if each **user** despreads the received...combined together by an **adder** 15 into a combined signal...and outputs it as an **estimation** error E a coefficient...minimizes the square of the **estimation** error E. That is, the...output signal of the **adder** 15 becomes minimum. This...  
**Full text available at patent office. For more in-depth searching go to**  LexisNexis  
[similar results](#)

fast

[Test Zone](#) | [Toolbar](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)  
[Download Search Box](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2005

**Basic Search**

[Advanced Search](#) [Search Preferences](#)

user AND "log likelihood" AND estimation AND adder A

Search

☒ All journal sources ☒ All Web sources ☐ Exact phrase

Searched for:: All of the words: **user AND "log likelihood" AND estimation AND adder AND density**

Found:: **:5 total | 0 journal results | 5 Web results**

Sort by:: **:relevance | date**



Save checked results



Email checked results


Or refine

All of the

refine

1. COHERENT DEMODULATION WITH DECISION-DIRECTED CHANNEL ESTIMATION FOR DIGITAL COMMUNICATION  
**SCHRAMM, Peter / HUBER, Johannes / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION**, Mar 1998  
...processor 20-2, and an **adder** 20- 3 would be provided...for a subsequent data **estimation** procedure (i.e., decision...The derivation of the **log-likelihood** ratio A&lsqb;v&rsqb;...such characteristic **log-likelihood** ratio curves. It will...  
**Full text available at patent office. For more in-depth searching go to**  LexisNexis  
[similar results](#)
2. SYSTEM AND METHOD FOR THE DEMODULATION OF TURBO-ENCODED SIGNALS VIA PILOT ASSISTED COHERENT DEMODULATION  
**LING, Fuyun / SINDHUSHAYANA, Nagabhushana, T. / ESTEVES, Eduardo, A., S. / QUALCOMM INCORPORATED, PATENT COOPERATION TREATY APPLICATION**, Nov 2000  
...decoders use the **log-likelihood** ratio (LLR) for...corresponding **log-likelihood** values from all...interference **estimation** circuit estimates...signal. A noise **estimation** circuit provides...applied to the **log-likelihood** ratio via the...  
**Full text available at patent office. For more in-depth searching go to**  LexisNexis  
[similar results](#)
3. Implementation and Performance of an Improved Turbo Decoder on a Configurable Computing Machine  
**Puckett, W. Bruce**, Jul 2000  
...45 4.3.3 **Adder** Module...51 4.5.2 **Log**-MAP Algorithm...structure and enhanced **Log**-MAP algorithm...machine for the SLAAC1V **adder** module...machine for the Wildforce **adder** module...  
**Full text thesis available via ND LTD**  
[similar results](#)
4. Implementation and performance of an improved turbo decoder on a configurable computing machine  
**Puckett, W. Bruce.**, Jan 2000  
...45 4.3.3 **Adder** Module...51 4.5.2 **Log**-MAP Algorithm...structure and enhanced **Log**-MAP algorithm...machine for the SLAAC1V **adder** module...machine for the Wildforce **adder** module...  
**Full text thesis available via ND LTD**  
[similar results](#)

-  **5. DATA TRANSMISSION METHOD, TRANSMITTER, AND RECEIVER**  
**HOTTINEN, Ari / LAAKSO, Timo / OJANPERÄ, Tero / NOKIA MOBILE PHONES LTD., PATENT COOPERATION TREATY APPLICATION, Aug 1996**  
...same frequency band, and in which each **user** has at least one broad-band information...information channel capacity of at least one **user** differs from the capacity of the other...method, the narrow-band data signal of the **user** is multiplied to a relatively wide band...  
**Full text available at patent office. For more in-depth searching go to  LexisNexis**  
[similar results](#)



[Test Zone](#) | [Toolbar](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)  
[Download Search Box](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2005



SCIENCE@DIRECT

[Register](#) or Login:  Password:

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

[Help](#)

Quick Search:  within [All Full-text Sources](#)  [Search Tips](#)

results **1 - 1**

## 1 Articles Found

user AND log likelihood AND estimation AND adder AND density

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

[Search Within Result](#)

View: [Citations](#) Sort By: [Date](#)

1. ☐ **Is corticosterone-mediated phenotype development adaptive? Maternal corticosterone treatment enhances survival in male lizards • ARTICLE**  
*Hormones and Behavior, Volume 48, Issue 1, June 2005, Pages 44-52*  
Sandrine Meylan and Jean Clobert  
[Abstract](#)

## 1 Articles Found

user AND log likelihood AND estimation AND adder AND density

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

results **1 - 1**

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

[Help](#)

[Feedback](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2005 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "( log likelihood&lt;in&gt;metadata ) &lt;and&gt; ( probability density&lt;in&gt;metadata )"

Your search matched 17 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail print

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

## Modify Search

( log likelihood&lt;in&gt;metadata ) &lt;and&gt; ( probability density&lt;in&gt;metadata )

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## Select Article Information

- ☐ 1. **Performance of various detectors in non-Gaussian noise and weak stochastic signal environment**  
Godara, L.C.; Schultheiss, P.M.;  
Acoustics, Speech, and Signal Processing, 1993. ICASSP-93., 1993 IEEE International Conference  
Volume 4, 27-30 April 1993 Page(s):129 - 132 vol.4  
[AbstractPlus](#) | Full Text: [PDF](#)(244 KB) IEEE CNF
- ☐ 2. **Further results in likelihood classification of QAM signals**  
Long, C.S.; Chugg, K.M.; Polydoros, A.;  
Military Communications Conference, 1994. MILCOM '94. Conference Record, 1994 IEEE  
2-5 Oct. 1994 Page(s):57 - 61 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(420 KB) IEEE CNF
- ☐ 3. **Locally optimum Bayes detection in ergodic Markov noise**  
Maras, A.M.;  
Information Theory, IEEE Transactions on  
Volume 40, Issue 1, Jan. 1994 Page(s):41 - 55  
[AbstractPlus](#) | Full Text: [PDF](#)(1028 KB) IEEE JNL
- ☐ 4. **An analytical method for approximate performance evaluation of binary linear block codes**  
Abedi, A.; Khandani, A.K.;  
Communications, IEEE Transactions on  
Volume 52, Issue 2, Feb. 2004 Page(s):228 - 235  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(296 KB) IEEE JNL
- ☐ 5. **The PDF projection theorem and the class-specific method**  
Baggenstoss, P.M.;  
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on]  
Volume 51, Issue 3, March 2003 Page(s):672 - 685  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(915 KB) IEEE JNL
- ☐ 6. **Asymptotic distributions for the performance analysis of hypothesis testing of isolated-pc penalization point processes**  
Hayat, M.M.; Gubner, J.A.; Abdullah, S.;  
Information Theory, IEEE Transactions on  
Volume 45, Issue 1, Jan. 1999 Page(s):177 - 187  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(416 KB) IEEE JNL
- ☐ 7. **Automatic classification of QAM signals in fading channel**  
Taira, S.;



Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Tokyo. 2000 IEEE 51st Volume 3, 15-18 May 2000 Page(s):1717 - 1721 vol.3

[AbstractPlus](#) | Full Text: [PDF\(340 KB\)](#) IEEE CNF

- ☐ **8. Theoretical performance analysis and simulation of a GLRT tonal detector**  
Qing Wang; Chunru Wan; Joo Thiam Goh;  
OCEANS, 2001. MTS/IEEE Conference and Exhibition  
Volume 3, 5-8 Nov. 2001 Page(s):1654 - 1659 vol.3  
[AbstractPlus](#) | Full Text: [PDF\(372 KB\)](#) IEEE CNF
  
- ☐ **9. An undecimated wavelet transform based denoising, PPCA based pulse modeling and detection classification of PD signals**  
Shetty, P.K.; Ramu, T.S.;  
Pattern Recognition, 2004. ICPR 2004. Proceedings of the 17th International Conference on  
Volume 4, 23-26 Aug. 2004 Page(s):873 - 876 Vol.4  
[AbstractPlus](#) | Full Text: [PDF\(592 KB\)](#) IEEE CNF
  
- ☐ **10. Single channel signal separation using MAP-based subspace decomposition**  
Gil-Jin Jang; Te-Won Lee; Yung-Hwan Oh;  
Electronics Letters  
Volume 39, Issue 24, 27 Nov. 2003 Page(s):1766 - 1767  
[AbstractPlus](#) | Full Text: [PDF\(191 KB\)](#) IEEE JNL
  
- ☐ **11. Low-SNR asymptote of CRB on SNR estimates for BPSK in Nakagami-m fading channels with diversity combining**  
Ertas, T.; Dilaveroglu, E.;  
Electronics Letters  
Volume 39, Issue 23, 13 Nov. 2003 Page(s):1680-2  
[AbstractPlus](#) | Full Text: [PDF\(197 KB\)](#) IEEE JNL
  
- ☐ **12. Simultaneous hyperparameter estimation and Bayesian image reconstruction for PET**  
Zhenyu Zhou; Leahy, R.M.; Mumcuoglu, E.U.;  
Nuclear Science Symposium and Medical Imaging Conference, 1994., 1994 IEEE Conference R  
Volume 4, 30 Oct.-5 Nov. 1994 Page(s):1604 - 1608 vol.4  
[AbstractPlus](#) | Full Text: [PDF\(424 KB\)](#) IEEE CNF
  
- ☐ **13. Time-adaptive pattern recognition and prediction for situational robustness**  
Kil, D.H.; Shin, F.B.;  
OCEANS '97. MTS/IEEE Conference Proceedings  
Volume 2, 6-9 Oct. 1997 Page(s):773 - 778 vol.2  
[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) IEEE CNF
  
- ☐ **14. Initializing normal mixtures of densities**  
Grim, J.; Novovicova, J.; Pudil, P.; Somol, P.; Ferri, F.J.;  
Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on  
Volume 1, 16-20 Aug. 1998 Page(s):886 - 890 vol.1  
[AbstractPlus](#) | Full Text: [PDF\(224 KB\)](#) IEEE CNF
  
- ☐ **15. An online algorithm for blind source separation with Gaussian mixture model**  
Ohata, M.; Tokunari, T.; Matsuoka, K.;  
Adaptive Systems for Signal Processing, Communications, and Control Symposium 2000. AS-SI  
The IEEE 2000  
1-4 Oct. 2000 Page(s):375 - 378  
[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) IEEE CNF
  
- ☐ **16. On model selection and concavity for finite mixture models**  
Cadez, I.V.; Smyth, P.;  
Information Theory, 2000. Proceedings. IEEE International Symposium on  
25-30 June 2000 Page(s):323  
[AbstractPlus](#) | Full Text: [PDF\(84 KB\)](#) IEEE CNF

**17. On the use of  $X^2$ -test in signal detection**

Zhang, Q.; Yip, P.;

Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '87.

Volume 12, Apr 1987 Page(s):1111 - 1114

[AbstractPlus](#) | Full Text: [PDF](#)(120 KB) [IEEE CNF](#)[View Selected Items](#)[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights



Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE****SUPPORT**

Results for "( log likelihood&lt;in&gt;metadata ) &lt;and&gt; ( probability density&lt;in&gt;metadata ) &lt;and&gt;..."

e-mail print

Your search matched 0 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)**Modify Search** ☐ Check to search only within this results set**Display Format:** ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)


© Copyright 2005 IEEE – All Rights



Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE****SUPPORT**

Results for "( log likelihood&lt;in&gt;metadata ) &lt;and&gt; ( probability density&lt;in&gt;metadata ) &lt;and&gt;g..."



Your search matched 0 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**Modify Search** ☐ Check to search only within this results set**Display Format:** ☒ Citation ☐ Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights

## Search Results

□\$B"#□(B Search of Full Paper

Word count: [ user: 2537 ] { [ log: 876 ] [ likelihood: 720 ] :: 55 } [ estimation: 2838 ] [ adder: 304 ]

No match.

---

Search String: user "log likelihood" estimation adder

Next Search

[how to search](#)

## SEARCH

This search system is powered by Namazu v1.3.0.6

---

All Rights Reserved, Copyright (c) 1999 The Institute of Electronics, Information and Communication Engineers